

LSU155/255/275/355/395

# When professional power is needed

- commercial wet and dry vacuum cleaners



PART OF THE NILFISK GROUP

**VIPER**





Model description: First number stands for number of motors, second two numbers tells the tank size.  
LSU135 is equipped with one suction motor and a 35 liter tank capacity



LSU155/255/275/355/395

# Volume, suction power and durability

The Viper LSU series are powerful wet and dry professional vacuum cleaners that is easy to use and has a robust design. The machines are available in 4 different tank sizes and various motor alternatives so that you can pick exactly the size and power that suits your cleaning needs.

The larger trolley mounted machines come with a drain hose mounted so you can easily empty the tank without taking off the motor top.

All machines are equipped with sturdy rear wheels and rotating front wheels which makes them light and easy to maneuver.

- For wet or dry vacuum application
- Easy to use and service
- Optimal suction power
- Robust tanks in stainless steel or plastic
- Cable storage
- Different tank sizes with different motor alternatives



Robust handle with cable storage hook and individual switches for the suction motors



Easy storage of accessories



Drain hose for easy emptying of the container

### Technical specifications

| Description                  | LSU 135   | LSU155    |
|------------------------------|-----------|-----------|
| Voltage (v)                  | 220 - 240 | 220 - 240 |
| Frequency (hz)               | 50-60     | 50-60     |
| Rated power (w)              | 1000      | 1000      |
| Vacuum motor (type):         | 2-stage   | 2-stage   |
| Vacuum (mmH20)               | 2020      | 2115      |
| Air flow (ltr.min)           | 1869      | 2152      |
| Power cable length (m)       | 7         | 7         |
| Power cable color            | orange    | orange    |
| Tank capacity (ltr.)         | 35        | 55        |
| Sound level (dB(A))          | 74        | 74        |
| Amp draw (Amp)               | 4.6       | 4.6       |
| Net weight (kg)              | 13        | 22        |
| Length x Width x Height (cm) | 47x45x80  | 63x59x95  |
| Reference                    |           |           |
| Steel version                | 50000110  | 50000118  |
| Plastic version              | 50000111  | 50000119  |

### Technical specifications

| Description                  | LSU255    | LSU275    |
|------------------------------|-----------|-----------|
| Voltage (v)                  | 220 - 240 | 220 - 240 |
| Frequency (hz)               | 50-60     | 50-60     |
| Rated power (w)              | 2000      | 2000      |
| Vacuum motor (type):         | 2-stage   | 2-stage   |
| Vacuum (mmH20)               | 2250      | 2250      |
| Air flow (ltr.min)           | 3115      | 3115      |
| Power cable length (m)       | 8         | 8         |
| Power cable color            | orange    | orange    |
| Tank capacity (ltr.)         | 55        | 75        |
| Sound level (dB(A))          | 78        | 78        |
| Amp draw (Amp)               | 4.6/9.2   | 4.6/9.2   |
| Net weight (kg)              | 24.5      | 25        |
| Length x Width x Height (cm) | 63x59x95  | 63x59x99  |
| Reference                    |           |           |
| Steel version                | 50000126  | 50000134  |
| Plastic version              | 50000127  |           |

### Technical specifications

| Description                  | LSU375       | LSU 395      |
|------------------------------|--------------|--------------|
| Voltage (v)                  | 220 - 240    | 220 - 240    |
| Frequency (hz)               | 50-60        | 50-60        |
| Rated power (w)              | 3000         | 3000         |
| Vacuum motor (type):         | 2-stage      | 2-stage      |
| Vacuum (mmH20)               | 2280         | 2280         |
| Air flow (ltr.min)           | 3540         | 3540         |
| Power cable length (m)       | 8            | 10           |
| Power cable color            | orange       | orange       |
| Tank capacity (ltr.)         | 75           | 95           |
| Sound level (dB(A))          | 79           | 79           |
| Amp draw (Amp)               | 4.6/9.2/13.8 | 4.6/9.2/13.8 |
| Net weight (kg)              | 28           | 29.3         |
| Length x Width x Height (cm) | 63x59x99     | 63x59x112    |
| Reference                    |              |              |
| Steel version                | 50000140     | 50000150     |
| Plastic version              |              | 50000151     |

### Standard accessories

|                           | LSU 135 | LSU155  |
|---------------------------|---------|---------|
| Round nozzle Ø38 mm       | VA20803 | VA20803 |
| Crevice nozzle Ø38 mm     | VA20806 | VA20806 |
| Dry pick-up nozzle Ø38 mm | VA80036 | VA80036 |
| Wet pick-up nozzle        | VA80853 | VA80853 |
| Suction tube assembly     | VA80401 | VA80400 |
| Steel tube kit            | VA80711 | VA80711 |
| Absorbing dust filter     | VA80706 | VA80119 |

### Standard accessories

|                           | LSU255  | LSU275  |
|---------------------------|---------|---------|
| Round nozzle Ø38 mm       | VA20803 | VA20803 |
| Crevice nozzle Ø38 mm     | VA20806 | VA20806 |
| Dry pick-up nozzle Ø38 mm | VA80036 | VA80036 |
| Wet pick-up nozzle        | VA80853 | VA80853 |
| Suction tube assembly     | VA80400 | VA80400 |
| Steel tube kit            | VA80711 | VA80711 |
| Absorbing dust filter     | VA80119 | VA80119 |

### Standard accessories

|                           | LSU375  | LSU395  |
|---------------------------|---------|---------|
| Round nozzle Ø38 mm       | VA20803 | VA20803 |
| Crevice nozzle Ø38 mm     | VA20806 | VA20806 |
| Dry pick-up nozzle Ø38 mm | VA80036 | VA80036 |
| Wet pick-up nozzle        | VA80853 | VA80853 |
| Suction tube assembly     | VA80400 | VA80400 |
| Steel tube kit            | VA80711 | VA80711 |
| Absorbing dust filter     | VA80119 | VA80110 |

Dealer:

**T&J CLEANING EQUIPMENT**

Tel: 01748 826 200

Email: sales@tandjcleaningequipment.co.uk

